

1.4000	X6Cr13	Z 8 C 12	403 S 17	X6Cr13	SUS 403; SUS 403FB; SUS 410S	08Ch13	2301	F.3110	410 S; S41008; 403; S40300
1.4002	X6CrAl13	Z 8 CA12	405 S 17	X6CrAl13	SUS 405; SUS 405TB; SUS 405TP	-	-	F.3111	405; S40500
1.4005	X12CrS13	Z 11 CF13	416 S 21; En 56 AM	X12CrS13	SUS 416	-	2380	F.3411	416; S41600
1.4006	X12Cr13 X10Cr13	Z 10 C 13; Z 13 C 13	410 S 21; ANC 1 grade A; En 56 A	X 12 Cr 13 KG; X 12 Cr 13 KW	SUS 410; SUS 410FB; SUS 410TB; SUS 410TKA; SUS 410TKC; SUS F 410- A; SUS F 410- B; SUS F 410- C; SUS F 410- D	12Ch13; 15Ch13L	2302	F.3401	410; S41000 ; S41001
1.4008	GX7CrNiMo12- 1; G-X8CrNi 13	Z 12 CN 13 M	410C21	GX 12 Cr 13	-	-	-	-	J91150
1.4011	GX12Cr12; GX12Cr13	Z12 C 13 M	-	-	SCS 1; SCS 1X	-	-	-	420; J91150; J91151; J91171
1.4016	X6Cr17	Z 8 C 17	430 S 17; 430 S 15; 430 S 18	X 8 Cr 17	SUS 430; SUS 430TB; SUS 430TKA; SUS 430TKC; SUS 430TP	12Ch17	2320	F.310.D; F.3113	430; S43000
1.4021	X20Cr13	Z 20 C 13 CI; Z 20 C 13	420 S 37; 420 S 29; En 56 C	X20Cr13	SUS 420J1; SUS 420J1FB; SUS 420J1TKA	20Ch13	2303	F.310.J; F.3402	420; S42000
1.4024	X15Cr13	Z 13 C 13 CI	420 S 29; En 56 B	-	SUS 410J1; SUS 410J1FB	-	-	F.3415	-
1.4027	GX20Cr14	Z 20 C 13 M	ANC 1 grade B; ANC 1	-	SCS 2	20Ch13L	-	-	-

			grade C; 420C24; 420C29						
1.4028	X30Cr13	Z 33 C 13 CI; Z 33 C 13; Z 30 C 13	420 S 37; 420 S 45; En 56 C; En 56 D	X 30 Cr 13	SUS 420F; SUS 420J2; SUS 420J2- CSP; SUS 420J2FB; SUS 420J2TKA	30Ch13	2304	F.3403	420; 420 F; S42000; S42020
1.4031	X39Cr13; X 38 Cr 13	Z 40 C 14 CI; Z 40 C 14	-	X 40 Cr 14	-	-	-	F.3404	420; S42000; S42080
1.4034	X46Cr13	Z 44 C 14 CI; Z 44 C 14	-	X 40 Cr 14	-	40Ch13	-	F.3405	420; S42000
1.4057	X17CrNi16-2; X 20 CrNi 17 2; X 22 CrNi 17	Z 15 CN 16.02 CL; Z 15 CN 16- 02	431 S 29; En 57	X 16 CrNi 16	SUS 431; SUS 431FB	14Ch17N2 ; 20Ch17N2	2321	F.313; F.3427	431; S43100
1.4059	GX22CrNi17	Z 20 CN 17.2 M	ANC 2	-	-	-	-	-	J91803
1.4104	X14CrMoS17; X 12 CrMoS 17	Z 13 CF 17	-	X 10 CrS 17	SUS 430F	-	2383	F.3413	430 F; S43020
1.4105	X6CrMoS17; X 4 CrMoS 18	Z 8 CF 17	-	-	SUS 430F	-	-	F.3114	430 F; S43020
1.4109	X70CrMo15; X 65CrMo 14	Z 70 CD 15 CI; Z 70 C 15; Z 70 CD 15	-	-	SUS 440A	-	-	-	440 A; S44002
1.4112	X90CrMoV18	X 89 CrMoV 18-1	-	-	SUS 440B	-	-	-	440 B; S44003
1.4113	X6CrMo17-1	Z 8 CD 17- 01	434 S 17	-	SUS 434	-	-	F.3116	434; S43400
1.4125	X105CrMo17	Z 100 CD 17 CI; Z 100 CD 17	-	-	SUS 440C	95Ch18; 110Ch18M- SChD	-	-	440 C; S44004; S44025
1.4301	X5CrNi18-10; X 5 CrNi 18 9	Z 4 CN 19- 10 FF; Z 5 CN 18- 09; Z 6 CN 18- 09; Z 7 CN 18- 09	1.4301; 304 S 15; 304 S 31; LW 13; LW 15; LW 21; LWCF 13; LWCF 15; LWCF 21;	X 5 CrNi 18 10; X 5 CrNi 18 10 KG; X 5 CrNi 18 10 KW; X 5 CrNi 18 10 KT	SUS 304; SUS 304A; SUS 304- CSP; SUS 304FB; SUS 304TB; SUS 304TBS; SUS	08Ch18N10	2333; 2332	F.3504; X 5 CrNi 18 10	304; S30400

			302 S 17; 304 S 16; 304 S 17; 304 S 40; 801; En 58 E		304TKA; SUS 304TKC; SUS 304TP; SUS F 304				
1.4303	X4CrNi18-12; X 5 CrNi 18 12	Z 5 CN 18- 11 FF	305 S 17; 305 S 19	X 7 CrNi 18 10	SUS 305; SUS 305J1	06Ch18N11	-	F.3513	305 (L); S30500; 308; S30800
1.4305	X8CrNiS18-9; X 10 CrNiS 18 9	Z 8 CNF 18- 09	303 S 31	X 10 CrNiS 18 09	SUS 303	-	2346	F.310.C; F 3508	303; S30300
1.4306	X2CrNi19-11	Z 1 CN 18- 19; Z 3 CN 18- 10; Z 3 CN 19- 11; Z 3 CN 19- 11 FF	304 S 11; LW 14; LW 20; LWCF 14; LWCF 20; S.536; T.74; 304 S 12; 305 S 11	X 2 CrNi 18 11	SUS 304L; SUS 304LFB; SUS 304LTB; SUS 304LTBS; SUS 304LTP; SUS F 304L	03Ch18N11	2352	F.310.G; F.3503; X 2 CrNi 18 10	304 L; S30403
1.4308	GX5CrNi19-10; G-X 6 CrNi 18 9	Z 6 CN 18.10M; Z 6 CN 19.9M	304 C 15	-	SCS 13; SCS 13A ; SCS 13X	07Ch18N9L	-	AM X 7 CrNi 20 10; F.8411	304 H; J92590; J92600; J92650; J92710
1.4309	GX2CrNi19-11	Z 3 CN 19.10 M	304C12	GX 2 CrNi 19 10	SCS 19; SCS 19A	-	-	AM-X 2 CrNi 19 10; F.8412	304 L; J92500; J92620
1.4310	X10CrNi18-8; X 12 CrNi 17 7	Z 11 CN 17- 08; Z 11 CN 18- 08; Z 12 CN 18- 09	301 S 21; 301 S 22	X 12 CrNi 17 07	SUS 301; SUS 301- CSP; SUS 302; SUS 302FB	12Ch18N9	2331	F.3517	301; J 230 (1994); S30100; S30200

Wnr.

1.4311	X2CrNi18-10	Z 3 CN 18- 10Az	304 S 61	X 2 CrNiN 18 11	SUS 304LN; SUS F 304LN	-	2371	F. 3541; X 2 CrNiN 18-10	304 LN; S30453
1.4312	GX10CrNi18-8	Z 10 CN 18.9 M	ANC 3 grade A; 302 C 25	-	SCS 12	10Ch18N9L	-	-	J92701
1.4313	X3CrNiMo13-4; X 4 CrNi 13 4	Z 6 CN 13- 04	-	-	-	-	2384	-	S41500; J91540
1.4316	X1CrNi19-19; X2CrNi19-9	Z 1 CN 20- 10; Z 1 CN	-	-	SUS Y 308L	Sw-01Ch19N9	-	-	S30883

Wnr.

		20-11; Z 2 CN 20-10; Z 2 CNS 20-10; Z 3 CN 20- 10							
1.4317	GX4CrNi13-4; G-X 5 CrNi 13 4	Z 4 CND 13 4 M	425 C 11; 425 C 12	GX 6 CrNi 13 04	SCS 6; SCS 6X	-	-	-	J91540
1.4361	X1CrNiSi18-15- 4; X 1 CrNiSi 18 15	Z 1 CNS 17-15	-	-	SUS XM15J1; SUS XM15J1TB	-	-	-	S30600
1.4362	X2CrNiN23-4	Z 3 CN 23- 04 Az	-	-	-	-	2327	-	S32304
1.4372	X12CrMnNiN17- 7-5	Z 12 CMN 17-07 Az	-	-	SUS 201	-	-	-	201; S20100
1.4373	X12CrMnNiN18- 9-5	-	284 S 16	-	SUS 202	12Ch17G9AN4	-	-	202; S20200
1.4401	X5CrNiMo17- 12-2; X 5 CrNiMo 18 10	Z 6 CND 17-11; Z 6 CND 17-11-02 FF; Z 7 CND 17-11-02; Z 7 CND 17-12-02	316 S 31; 316 S 33; 316 S 17; 316 S 19; 316 S 40; 316 S 41; 845	X 5 CrNiMo 17 12; X 5 CrNiMo 17 12 KG; X 5 CrNiMo 17 12 KW	SUS 316; SUS 316A; SUS 316FB; SUS 316HFB; SUS 316HTB; SUS 316HTP; SUS 316TB; SUS 316TBS; SUS 316TKA; SUS 316TKC; SUS 316TP; SUS F 316; SUS Y 316	08Ch16N11M3	2347	F.310.A; F.3534; X 5 CrNiMo 17 12 2	316; 316 H; S31600; S31609
1.4404	X2CrNiMo17- 12-2; X2CrNiMo17- 13-2	Z 2 CND 17-12; Z 3 CND 17- 11-02; Z 3 CND 17- 12-2; Z 3 CND 17- 12-02 FF; Z 3 CND18-12- 02; Z 3 CND18-12- 03	316 S 11; S 161; S.537; T75; 316 S13; 316 S14; 316 S 30	X 2 CrNiMo 17 12	SUS 316L; SUS 316LFB; SUS 316LTBS; SUS 316LTP; SUS F 316L	-	2348	F.310.K; F.3533; F.3537	316L; S31603; J92700; J92800
1.4406	X2 CrNiMoN17- 11-2; X2CrNiMoN17- 12-2	Z 3 CND 17-11 Az	316 S 61	X 2 CRNiMoN 17 12	SUS 316LN; SUS F 316LN	-	-	F.3542; X 2 CrNiMoN 17 12 2	316 LN; S31653
1.4408	GX5CrNiMo19- 11-2;	-	ANC 4 grade B;	-	SCS 14; SCS 14A; SCS 14X	07Ch18N10G2 S2M2L	-	AM-X 7 CrNiMo	J92900

Wnr.

	G-X 6 CrNiMo 18-10		316 C 16; 845 grade B					20 10; F.8414	
1.4409	GX2CrNiMo19- 11-2	Z 3 CND 19.10 M	-	GX 2 CrNiMo 19 11	SCS 16S; SCS 16AX; SCS 16AXN	-	-	AM-X 2 CrNiMo 19 11; F.8415	316 N; J92804
1.4410	X2CrNiMoN25- 7-7	Z 3 CND 25-06 Az	-	-	-	-	2328	-	S32750
1.4412	GX5CrNiMo19- 11-3	Z 8 CND 18.10.3 M	-	-	SCS 34	-	-	-	J93000
1.4414	GX4CrNiMo13-4	Z 4 CND 13.4 M	-	-	SCS 6; SCS 6X	-	-	-	J91540
1.4429	X2CrNiMoN17- 13-3	Z 3 CND 17-12 Az	1.4429; 316 S 63	X 2 CrNiMoN 17 13	SUS 316LN; SUS F 316LN	-	2375	F.3543; X 2 CrNiMoN 17 13 3	316LN; S31653
1.4432	X2CrNiMo17- 12-3	Z 3 CND 17-12-03; Z 3 CNC 17-13-03	316 S 13; LW16; LWCF16; 316 S12; 845 B	-	-	06CM7N13M3- WD	-	F.3537	316 L; S31603
1.4434	X2CrNiMoN18- 12-4	Z 3 CND 19-14 Az	-	-	SUS 317LN	-	-	-	317 LN; S31753
1.4435	X2CrNiMo18- 14-3	Z 3 CND 17-12-03; Z 3 CND 18-14-03	316 S 13; LW 22; LWCF 22; 316 S 11; 316 S 14; 316 S 31; 845 B	X 2 CrNiMo 17 13; X 2 CrNiMo 17 13 KG; X 2 CrNiMo 17 13 KW	SUS 316L; SUS 316LFB; SUS 316LTBS; SUS 316LTP; SUS F 316L	03Ch17N14M3	2353	-	316 L; S31603; J92800
1.4436	X3CrNiMo17- 13-3; X5CrNiMo17- 13-3	Z 6 CND 18-12-03; Z 6 CND 18-13; Z 7 CND 18-12-03	1.4436; 316 S 31; 316 S 33; LW 23; LWCF 23; 316 S 19; 316 S 40; 316 S 41	X5CrNiMo 17 13; X8CrNiMo 17 13	SUS 316; SUS 316A; SUS 316FB; SUS 316TB; SUS 316TBS; SUS 316TKA; SUS 316TKC; SUS 316TB; SUS F 316	-	2343	F.3538; X5CrNiMo 17 13 3	316; S31600
1.4438	X2CrNiMo18- 15-4; X 2 CrNiMo 18 16 4	Z 2 CND 19-15-04; Z 3 CND 19-15-04	317 S 12	X2CrNiMo 18 15	SUS 317L; SUS 317LFB; SUS 317LTB; SUS 317LTP; SUS F 317L; SUS Y 317L	-	2367	F.3539; X 2 CrNiMo 18 16 4	317 L; S31703
1.4439	X2CrNiMoN17- 13-5	Z3 CND 18-14-05	-	-	-	-	-	F.3544; X 2	S31726

Wnr.

		Az						CrNiMoN 17 13 5	
1.4449	X3CrNiMo18-12-3	-	317 S 16	X 5 CrNiMo 18 15	SUS317; SUS317TB; SUS317TP; SUS F 317	-	-	-	317; S31700

1.4460	X3CrNiMoN27-5-2; X 2 CrNiMoN 27 5 2	Z 5 CND 27-05 Az	-	-	SUS 329J1; SUS 329J1FB; SUS 329J1SUS 329J1TB; SUS 329J1TP	10Ch26N5M	2324	F.3552; F.3309; X 8 CrNiMo 27-05; X 8 CrNiMo 26 6	329; S31260; S32900
1.4462	X2CrNiMoN22-5-3	Z 2 CND 24-08 Az; Z 3 CND25- 06-03 Az; Z 3 CND 22-05 Az	1.4462; 318 S 13	-	SUS 329J3L; SUS 329J3LTB; SUS 329J3LTP	-	2377	-	S31803; S32205; S39209
1.4501	X2CrNiMoCuWN25-7-4	Z 3 CNDU 25-06 Az	1.4501	-	-	-	-	-	S32760
1.4510	X3CrTi17; X 6 CrTi 17	Z 4 CT 17	-	X 6 CrTi 17	SUS 430LX; SUS 430LXTB; SUS XM8TB	08Ch17T	-	F.3115; X 5 CrTi 17	439; S43035; 430 Ti; S43036
1.4511	X3CrNb17; X 6 CrNb 17	Z 4 CNb 17	-	X 6 CrNb 17	SUS 430 LX; SUS 430LXTB	-	-	F.3122; X 5 CrNb 17	-
1.4512	X2CrTi12; X 6 CrTi 12	Z 3 CT 12	LW 19; 409 S 19	X 6 CrTi 12	SUH 409L; SUS 409LTB; SUS 409TB	-	-	F.3121	409; S40900
1.4521	X2CrMoTi18-2	Z 3 CDT 18-02; Z 3 CDT 18-2	-	-	SUS 444; SUS 444TB; SUS 444TP	-	2326	F.3123; X 2 CrMoTiNb 18 2	444; S44400; 443; S44300
1.4525	GX5CrNiCu16-4; GX4CrNiCu16-4	Z 4 CNUNb 16.4 M	-	-	SCS 24	-	-	-	J92130; J92180; J92200
1.4539	X1NiCrMoCu25-20-5	Z 2 NCDU 25-20	904 S 13	-	-	-	2562	-	904 L; N08904
1.4541	X6CrNiTi18-10	Z 6 CNT 18-10	321 S 31; LW 18;	X 6 CrNiTi 18 11; X 6 CrNiTi	SUS 321; SUS 321FB; SUS 321TB;	06Ch18N10T; 08Ch18N10T; 09Ch18N10T;	2337	F.332; F.3523; X 6 CrNiTi	321; S32100

			LW 24; LWCF 18; LWCF 24; 321 S 12; 321 S 50; 321 S 51; 321 S 51-490; 321 S 51-510; 1010; 1105	18 11 KG; X 6 CrNiTi 18 11 KW; X 6 CrNiTi 18 11 KT	SUS 321TKA; SUS 321TP; SUS F 321; SUS Y 321	12Ch18N10T		18 10	
1.4542	X5CrNiCuNb16-4	Z 7 CNU 15-05; Z 7 CNU 16-04; Z 7 CNU 17-04	-	-	SUS 630; SUS 630FB; SUS F 630	-	-	-	630; S17400
1.4546	X5CrNiNb18-10	-	2 S.130; 2 S.143; 3 S.144; 3S.145; S.525; S.527	-	-	-	-	-	348; S34800
1.4550	X6CrNiNb18-10	Z 6 CNNb 18-10	347 S 31; ANC 3 grade B; 347 S 20; 347 S 40; 347 S 50; 347 S 51	X 6 CrNiNb 18 11; X 6 CrNiNb 18 11 KG; X 6 CrNiNb 18 11 KW; X 6 CrNiNb 18 11 KT	SUS 347; SUS 347FB; SUS 347HTB; SUS 347TB; SUS 347TKA; SUS 347TP; SUS F 347	08Ch18N12B	2338	F.3524; X 6 CrNiNb 18 10	347; 348; S34700; S34800
1.4551	X5CrNiNb19-9	Z 6 CNNb 20-10	-	-	SUS Y 347	-	-	-	S347780; S34781; S34788
1.4552	GX5CrNiNb19-11; G-X 5 CrNiNb 18 9	Z 4 CNNb 19.10M; Z 6 CNNb 18.10 M	347 C 17; 821 grade Nb	-	SCS 21; SCS 21X	-	-	AM-X7 CrNiNb 20 10; F.8413	347; J92640; J92710
1.4563	X1NiCrMoCu31-27- 4	Z 2 NCUD 31-27	-	-	-	-	2584	-	N08028
1.4567	X3CrNiCu18-9-4; X 3 CrNiCu 18 9	Z 3 CNU 18-09	394 S 17	-	SUS XM7	-	-	-	304 Cu; S30430

		FF; Z 3 CNU 18- 10; Z 3 CNU 18- 10 FF							
1.4568	X7CrNiAl17-7	Z 9 CNA 17-07	301 S 81	-	SUS 631; SUS 631-CSP	09Ch17N7Ju1	2388	-	631; S17700
1.4571	X6CrNiMoTi17-12-2	Z 6 CNDT 17-12	320 S 31; 320 S 18	X6CrNiMoTi 17 12; X6CrNiMoTi 17 12 KG; X6CrNiMoTi 17 12 KW	SUS 316Ti; SUS 316TiTB; SUS 316TiTP	08Ch16N11M3T; 08Ch17N13M2T; 10Ch17N13M2T	2350	F.310.B; F.3535; X 6 CrNiMoTi 17 12 2	316 Ti; S31635
1.4573	GX3CrNiMoCuN24- 6-5	-	-	-	SUS 316Ti; SUS 316TiTB; SUS 316TiTP	10Ch17N13M3T	-	-	316 Ti; S31635
1.4580	X6CrNiMoNb17-12- 2	Z 6 CNDNb 17-12; Z 6 CNDNb 18-12	318 S 17	X 6 CrNiMoNb 17 12	-	08Ch16N13M2B	-	F.3536	316 Cb; S31640
1.4581	GX5CrNiMoNb19- 11-2; G-X 5 CrNiMoNb 18 10	Z 4 CNDNb 18.12 M	ANC 4 grade C; 318 C 17; 845 grade Nb	GX 6 CrNiMoNb 20 11	SCS 22	-	-	-	-
1.4718	X45CrSi9-3	Z 45 CS 9	401 S 45; En 52	X 45 CrSi 8	SUH 1	40Ch9S2	-	F.322 (s/Mo); F.3220	S65007
1.4724	X10CrAlSi13; X10CrAl13	-	-	X 10 CrAl 12	-	10Ch13SJü	-	F.3152; X 10 CrAl 13	-
1.4729	GX40CrSi13	-	-	G X 35 Cr 13	SCH 1; SCH 1X; SCH 3	-	-	-	J91153

1.4731	X40CrSiMo10-2	Z 40 CSD 10	-	-	SUH 3	40Ch10S2M	-	F.3221	SUH 3
1.4742	X10CrAlSi18; X10CrAl18	Z12 CAS 18	-	-	SUH 21	15Ch18SJü	-	F.3153; X 10 CrAl 18	-
1.4748	X85CrMoV18-2	Z 85 CDV 18-02	-	X 85 CrMoV 19 3	-	-	-	F.3223	-
1.4762	X10CrAlSi25; X10CrAl24	Z 12 CAS 25	-	-	SUH 446	-	-	F.3154	446; S44600
1.4776	GX40CrSi28; GX 40 CrSi 29	-	-	G X 35 Cr 28	SCH 2X2	-	-	-	J92605

1.4823	GX40CrNiSi27-4	-	-	G X 35 CrNi 28 05	SCH 11X	-	-	-	J92605; J93005
1.4825	GX25CrNiSi18-9	-	-	G X 30 CrNi 20 10	SCH31; SCS 12	-	-	-	302 mod; J92502; J92602; J92603; J92803
1.4828	X15CrNiSi20-12	Z 9 CN 24-13; Z 17 CNS 20-12	309 S 24	-	SUH 309; SUH 309TB; SUH 309TP	20Ch20N14S2	-	F.3312	309; S30900
1.4833	X12CrNi23-13; X 7 CrNi 23 14	Z 15 CN 23-13; Z 15 CN 24-13	309 S 24	X 6 CrNi 23 14	SUS 309S; SUS 309STB; SUS 309STP	-	-	-	309 S; S30908; 309; S30900
1.4837	GX40CrNiSi25-12	-	309 C 30	G X 35 CrNi 25 12	SCH 13; SCH 13A; SCH 13X; SCH 17; SCS 17	40Ch24N12SL	-	-	J93503; J94003; J94013
1.4841	X15CrNiSi25-21; X15CrNiSi25-20	Z 15 CNS 25-20	314 S 25	X 16 CrNiSi 25 20	SUH 310; SUS 310TB; SUS Y 310	20Ch25N20S2	-	F.3310	310; 314; S31000; S31400; S31500
1.4845	X8CrNi25-21; X12CrNi25-21	Z 8 CN 25-20; Z 12 CN 25-20; Z 12 CN 26-21	310 S 24; 310 S 31	X 6 CrNi 25 21	SUS 310S; SUS 310SFB; SUS310STB; SUS 310STP; SUS 310TB; SUS Y 310S	10Ch23N18; 20Ch23N18	2361	F.331	310 H; 310 S; S31008; S31009
1.4848	GX40CrNiSi25-20	-	310 C 40; 310 C 45	G X 40 CrNi 26 20	SCH 21; SCH 22; SCH 22X	-	-	AM-X 40 CrNi 25 20; F.8452	J94203; J94204; J94224
1.4857	GX40NiCrSi35-26; GX40NiCrSi35-25	-	-	G X 50 NiCr 35 25	SCH 24X	-	-	-	N08705
1.4859	GX10NiCrSiNb32- 20; GX10NiCrNb32-20	-	Thermax 532	-	SCH 34	-	-	-	N08151
1.4864	X12NiCrSi35-16; X12NiCrSi36-16	Z 20 NCS 33-16	NA 17; INCOLOY alloy DS	-	SUH 330	-	-	F.3313	N08330
1.4865	GX40NiCrSi38-19; GX40NiCrSi38-18	-	330 C 11; 330 C 40; 331 C 40	G X 50 NiCr 39 19	SCH 16; SCH 20X	-	-	-	N08002; N08004; N08005; N08030
1.4871	X53CrMnNiN21-9	Z 53 CMN 21-09 Az	349 S 52	X53CrMnNiN 21 9	SUH 35; SUH 36	55Ch20G9AN4	-	F3217	S63008
1.4873	X45CrNiW18-9	Z 45	-	-	SUH 31	-	-	F.320.C;	-

		CNW 18-09						F.3211; X45 CrNiSiW 18-09	
1.4875	X55CrMnNiN20-8	Z 55 CMN 20-08 Az	22-4-9	-	-	-	-	F.3214	S63012
1.4876	X10NiCrAlTi32-21; X10NiCrAlTi32-20	Z 10 NC 32-21	NA 15; NA 15 H	-	NCF 800; NCF 800 TB; NCF 800 TP	-	-	F.3314	N08800; N08810; N08332; N08811
1.4878	X8CrNiTi18-10; X12CrNiTi18-9	Z 6 CNT 18-10	321 S 31	-	SUS 321; SUS 321HFB; SUS 321HTB; SUS 321HTP; SUS 321TKA; SUS 321TP; SUS F 321; SUS Y 321	-	-	-	321 H; S32109
1.4919	X6CrNiMoB17-12-2; X6CrNiMo17-13	-	316 S 51; 316 S 53	-	SUS 316HFB; SUS 316HTB; SUS 316HTP	-	-	-	316 H; S31609
1.4948	X6CrNi18-10; X6CrNi18-11	-	304 S 50; 304 S 51;801 grade A	-	SUS 302	-	-	-	304 H; S30409; S30480
1.4959	X8NiCrAlTi32-21	Z 8 NC 33-21; Z 10 NC 32-21	NA 15; NA 15 H	-	-	-	-	-	N08811
1.4961	X8CrNiNb16-13	-	347 S 51; 832 Nb	-	SUS 347HFB; SUS 347HTP	-	-	-	347 H; S34709
1.4980	X6NiCrTiMoVB25-15-2; X5NiCrTi26-15	Z 5 NCTDV 26-15 B; Z 6 NCTDV 25.15	286 S 31	-	-	-	-	-	660; S66286